



## Improve Productivity and Safety

with the BradyJet J2000 Colour Label Printer

# Improve productivity and safety

Get the impactful colour labels you need to create a safer, more efficient workplace. The BradyJet J2000 Colour Label Printer is a compact on-demand, mid-volume inkjet solution for creating photo-quality colour labels in a single pass, while improving efficiency and saving you money. With the BradyJet J2000 you'll benefit from:

- **Colourful identification** – Get more impactful identification with more than 16 million colour options for your labels
- **Quick identification when you need it** – Efficient printing means you keep your workplace running smoothly
- **Savings on costs and space** – Get custom identification in a small footprint without the high cost of outsourced printing







## Get impactful identification with colour

When you use colour identification you provide more impactful communication that can improve safety and reinforce training. The BradyJet J2000 can quickly and easily create any colour you need for custom identification that is specific to your facility. When you use colour in your identification, you get improved learning comprehension and improved clarity so you can create a safer and more productive work environment.



## Create the labels you need when you need them

When you choose an on-demand printing system, you can get quick and easy identification without the wait. The BradyJet J2000 offers fast 63.5mm/second print speeds so you can create colour labels in a single pass and get the identification that you need, without slowing down your work. With an efficient printing system, your work place can keep running safely and smoothly. And, the 4800 dpi print resolution means you get clear identification you can rely on.

## Save space and money

Your printer should fit into your workspace, you shouldn't have to fit your work around your printer. With the BradyJet J2000 you get identification in a compact design that can be moved as needs in your facility change. Keep label stock to a minimum on your inventory shelves, you'll only need white label materials to create impactful identification that lasts. You also won't over pay for your identification, with this printer, you can create the custom labels you need at the volume you want without paying the high price for out-sourced custom labels.

## Complete identification throughout your facility

With a variety of possible colour combinations, you can easily create identification labels for every area in your facility, including:



Arc Flash Labels



GHS Labels



Safety and Facility ID



Pipe Markers



Lockout Tags



Inventory Identification

# Software for easier label creation

Brady is an innovator of intuitive software to make label creation even easier and more efficient. These software options are designed to guide you through the label creation process to minimise errors and make label creation simple.

## Brady Workstation Label Creation Software

Brady Workstation revolutionises label and sign creation and printing by offering a variety of suites and apps that are easy and efficient to use. Choose and customise the tools you use to complete tasks exactly as you want. Software options that are ideal for use in a safety and identification application include:



**Safety and Facility Identification Suite (included)** – Keep your facility safe and compliant with this suite. This software makes it easy to create custom signs, labels and pipemarkers to add visual safety guidance to your facility.



**GHS Labels App (Part No. 145449, sold separately)** – Creating GHS labels is now surprisingly simple. We've streamlined the process so you can easily enter the data from your SDS sheets once, then create and print any size GHS label at any time. Need labels with multiple languages? Those are also supported in the app.

### Other apps and suites are available:



1. Download Brady Workstation at **Workstation.BradyID.com**



2. Place your Apps/ Suite order with Brady AU Customer Service team



3. Save time by quickly designing labels and printing them on your Brady printer.



# Printer and label materials

## Printers

Part No.	Description
878880	BradyJet J2000 with Brady Workstation SFID Suite

Printer ships with power cable, USB cable, (1) inkjet cartridge, (1) roll of print head calibration material, and Brady Workstation SFID Suite (software)

## Ink Cartridge

Part No.	Description
150154	BradyJet J2000 Full Colour Ink Cartridge



## Accessories

Part No.	Description
150163	BradyJet J2000 Ink Pads
150506	BradyJet J2000 Alignment Roll
150160	BradyJet J2000 Replacement Cutter Blade




Figure 2




Figure 3

## B-2569 Material

Inkjet-receptive polyester with permanent adhesive

Diagram	Part No.	Reference No.	B#	Material	Colour	Label Width A (mm)	Label Height B (mm)	Labels Per Roll
Fig. 2	150026	J20-260-2569	B-2569	Polyester	White	55.11	85.09	340
Fig. 2	150003	J20-261-2569	B-2569	Polyester	White	74.93	109.98	270
Fig. 2	150029	J20-262-2569	B-2569	Polyester	White	104.90	154.94	200
Fig. 3	150021	J20C-1125-2569	B-2569	Polyester	White	28.57	30.5 m	1 cont.
Fig. 3	150031	J20C-2250-2569	B-2569	Polyester	White	57.15	30.5 m	1 cont.
Fig. 3	150009	J20C-4000-2569	B-2569	Polyester	White	101.6	30.5 m	1 cont.



## B-2595 Material

Inkjet-receptive vinyl with permanent adhesive

Diagram	Part No.	Reference No.	B#	Material	Colour	Label Width A (mm)	Label Height B (mm)	Labels Per Roll
Fig. 2	150013	J20-260-2595	B-2595	Vinyl	White	55.11	85.09	340
Fig. 2	150027	J20-261-2595	B-2595	Vinyl	White	74.93	109.98	270
Fig. 2	150032	J20-262-2595	B-2595	Vinyl	White	104.90	154.94	200
Fig. 3	150010	J20C-1125-2595	B-2595	Vinyl	White	28.57	30.5 m	1 cont.
Fig. 3	150014	J20C-2250-2595	B-2595	Vinyl	White	57.15	30.5 m	1 cont.
Fig. 3	150017	J20C-4000-2595	B-2595	Vinyl	White	101.6	30.5 m	1 cont.



## B-2551 Material

Inkjet-receptive tagstock polyester

Diagram	Part No.	Reference No.	B#	Material	Colour	Label Width A (mm)	Label Height B (mm)	Labels Per Roll
Fig. 3	150012	J20C-2500-2551	B-2551	Tagstock	White	63.50	15.24 m	1 cont.
Fig. 3	150008	J20C-3250-2551	B-2551	Tagstock	White	82.55	15.24 m	1 cont.
Fig. 2	150030	J20-255-2551	B-2551	Tagstock	White	82.55	146.05	100





# Printer specifications

BradyJet J2000 Colour Label Printer	
Description	Full colour, high resolution ink jet printer for creating photo-quality labels in a single pass, while reducing material waste and needed inventory of labelling supplies
Applications	GHS Labels, Pipe and Valve Marking, Warehouse Marking, Visual Workplace Labelling, Lean/5S, General and Industrial ID
Label Material types	Inkjet receptive topcoated vinyl, polyester, tagstock
Includes	Printer, ink cartridge, material roll for printhead alignment only, USB with drivers and manuals, power cord, Quick Start Guide
Printer Features	
Mode of Operation	Peripheral mode
Print Technology	Thermal inkjet
Print Resolution	Up to 4800 dpi
Colour Printing Capability	Full colour process; up to 16.7 million colours
Maximum Print Speed	Up to 63.5mm/sec.
Cutter Type	Auto cutter
Maximum Tape Width	108 mm
Media Sensor Adjustment	None
Maximum Labels per Day	3,000
Display and User Interface	
Display Type	None
Display Size	N/A
Print Preview Feature	via Brady Workstation
Supply Remaining Gauge	Via J2000 status monitor
Languages	English, German, Spanish, French, Italian, Japanese, Korean, Chinese (traditional), Chinese (simplified)
Media / Supplies Information	
Compatible Media	J20 series
Compatible Inks	J20-CMY
Continuous and Die Cut Materials Supported	Yes

Ink and Label Installation	Change labels in less than 20 seconds, change ink in less than 10 seconds
Calibration Required?	Calibration required only on initial set up
Quantity of Stock Media Parts	15
Custom Media Widths Available	Yes
Label Widths	19.05-101.6 mm
Maximum Printed Label Length	610mm
Minimum Printed Label Length	6.5mm
Optional Accessories	
Accessories Available	Replacement ink cartridges, replacement inkpads, replacement cutter blades, replacement material roll for printhead alignment
Software and Connectivity	
Connectivity options	USB
Software compatibility	Brady Workstation
Operating System	Windows 7/8/10+
Physical/ Operational Characteristics	
Dimensions	6.4cm x 38.9 cm x 18.0 cm
Weight	3.2 kg
Operating Temperature Range	5 to 35° C
Storage Temperature Range	-20 to 60° C except cartridge
Operating Humidity Range	10% - 60% (no condensation)
Storage Humidity Range	5% - 90% (no condensation)
Power Supply Voltage	100-240V AC 50/60Hz 60 Watts
Auto Shutoff/ Power Conserve	It is recommended that the printer remain plugged in and turned on
Agency Approvals / Regulatory Compliance	
Enables Industry Compliance	UL, FCC Class A, cUL, IC/ISED, CE, 2014/35/EU LVD, 2014/30/EU EMC, 2011/65/EU RoHS, 2014/53/EU, MEX CoC
Safety Data Sheet Ink	Available on Brady Websites



## **We identify and protect premises, products and people.**

For more information or to learn more about our innovative products, visit [BradyID.com.au](http://BradyID.com.au) or call 1800 620 816

Brady Australia Pty Ltd  
Customer Service: 1800 620 816  
[www.BradyID.com.au/J2000](http://www.BradyID.com.au/J2000)